

Appendix B: Research underpinning the biofilter adoption guidelines



**These publications were supported by the
CRC for Water Sensitive Cities and other, related projects.**

FAWB 2009. Adoption Guidelines for Stormwater Biofiltration Systems, Facility for Advancing Water Biofiltration, Monash University, June 2009.

Policy and Organisational Receptivity

Brown, R. R. and J. M. Clarke (2007). *The transition towards Water Sensitive Urban Design: The story of Melbourne*. Report No. 07/01, Facility for Advancing Water Biofiltration, Monash University: 67 pp.

Brown, R. R. and M. Farrelly (2007). Institutional impediments to advancing sustainable urban water management: A typology. *13th International Rainwater Catchment Systems Conference and 5th International Water Sensitive Urban Design Conference*. Sydney, Australia.

Brown, R. R. and J. M. Clarke (2007). The transition towards water sensitive urban design: a socio:technical analysis of Melbourne, Australia. *Novatech 2007. 6th International Conference on Sustainable Techniques and Strategies in Urban Water Management*. Lyon, France. 1: 349-356.

Brown, R. R. and M. A. Farrelly (2007). *Advancing urban stormwater quality management in Australia: A survey of stakeholder perceptions of institutional drivers and barriers*. Report No. 07/05, National Urban Water Governance Program, Monash University. Available at: www.urbanwatergovernance.com

Multiple design parameters

Lintern, A. E. Daly, H. Duncan, B.E. Hatt, T.D. Fletcher, A. Deletic (2011). Key design characteristics that influence the performance of stormwater biofilters. *12th International Conference on Urban Drainage*, Porto Alegre/Brazil, 11-16 September 2011.

Filter Media

Bratières, K., T. D. Fletcher and A. Deletic (2009). The advantages and disadvantages of a sand based biofilter medium: results of a new laboratory trial. *6th International Water Sensitive Urban Design Conference and Hydropolis #3*, Perth, Australia.

Bratières, K., T. Fletcher, A. Deletic, N. Somes and T. Woodcock (2010). Hydraulic and pollutant treatment performance of sand based biofilters. *Novatech 2010, 7th International Conference on Sustainable techniques and strategies in urban water management*. June 27-July1, 2010.

Glaister, B., Fletcher, T. D., Cook, P. L. M. & Hatt, B. E. 2011. Can stormwater biofilters meet receiving water phosphorus targets? A pilot study investing metal-oxide enriched filter media. *15th International Conference of the IWA Diffuse Pollution Specialist Group on: Diffuse Pollution and Eutrophication*. Rotorua, New Zealand: IWA.

Glaister, B., Fletcher, T. D., Cook, P. L. M. & Hatt, B. E. 2012. Advancing biofilter design for co-optimised nitrogen and phosphorus removal. *7th International Conference on Water Sensitive Urban Design*. Melbourne, Australia.

Glaister, B. J., Cook, P. L. M., Fletcher, T. D. & Hatt, B. E. 2013a. Long-term phosphorus accumulation in stormwater biofiltration systems at the field scale. *8th International Conference on Water Sensitive Urban Design*. Gold Coast, Australia.

Glaister, B. J., Fletcher, T. D., Cook, P. L. M. & Hatt, B. E. 2013b. Co-optimisation of Nitrogen and Phosphorus Removal in Stormwater Biofilters: the Role of Filter Media, Vegetation and Saturated Zone. *Novatech 2013. 8th International Conference on Planning and Technologies for Sustainable Urban Water Management*. Lyon, France.

Glaister, B. J., Fletcher, T. D., Cook, P. L. M. & Hatt, B. E. 2014. Co-optimisation of phosphorus and nitrogen removal in stormwater biofilters: The role of filter media, vegetation and saturated zone. *Water Science and Technology*, 69, 1961-1969.

Hatt, B. E., T. D. Fletcher and A. Deletic (2008). Hydraulic and pollutant removal performance of fine media stormwater filtration systems. *Environmental Science & Technology* 42(7): 2535-2541.

Hatt, B. E., T. D. Fletcher and A. Deletic (2007). Stormwater reuse: designing biofiltration systems for reliable treatment. *Water Science and Technology* 55(4): 201-209.

Hatt, B. E., T. D. Fletcher and A. Deletic (2007). The effects of drying and wetting on pollutant removal by stormwater filters. *Novatech 2007. 6th International Conference on Sustainable Techniques and Strategies in Urban Water Management*, Lyon, France.

Hatt, B. E., T. D. Fletcher and A. Deletic (2007). Hydraulic and pollutant removal performance of stormwater filters under variable wetting and drying regimes. *Water Science & Technology* 56(12): 11-19.

Hatt, B. E., A. Steinel, A. Deletic, T.D. Fletcher (2011). Retention of heavy metals by stormwater filtration systems: Breakthrough analysis. *Water Science & Technology* 64(9): 1913-1919.

Vegetation

Ellerton, J. P., Fletcher, T. D. & Hatt, B. E. 2012. Mixed plantings of *Carex appressa* and *Lomandra longifolia* improve pollutant removal over a monoculture of *L. longifolia* in stormwater biofilters. *7th International Conference on Water Sensitive Urban Design*. Melbourne, Australia.

Read, J., T. D. Fletcher, P. Wevill and A. Deletic (in press). Plant traits that enhance pollutant removal from stormwater in biofiltration systems. *International Journal of Phytoremediation*.

Read, J., T. Wevill, T. D. Fletcher and A. Deletic (2008). Variation among plant species in pollutant removal from stormwater in biofiltration systems. *Water Research* 42(4-5): 893-902.

Bratières, K., T. D. Fletcher, A. Deletic and Y. Zinger (2008). Optimisation of the treatment efficiency of biofilters; results of a large-scale laboratory study. *Water Research* 42(14): 3930-3940.

Fletcher, T. D., Y. Zinger and A. Deletic (2007). Treatment efficiency of biofilters: results of a large scale biofilter column study. *13th International Rainwater Catchment Systems Conference and 5th International Water Sensitive Urban Design Conference*, Sydney, Australia.

Payne, E.G.I., Fletcher, T.D., Cook, P.L.M., Deletic, A., Hatt, B.E. (2014). Processes and drivers of nitrogen removal in stormwater biofiltration. *Critical Reviews in Environmental Science and Technology*, 44 (7), 796-846.

Payne, E., Fletcher, T. D., Russell, D. G., Grace, M. R., Cavagnaro, T. R., Evrard, V., Deletic, A., Hatt, B. E. & Cook, P. L. M. (2014a). Temporary storage or permanent removal? The division of nitrogen between biotic assimilation and denitrification in stormwater biofiltration systems. *PLOS ONE*, 9, e90890.

Payne, E. G. I., Pham, T., Cook, P. L. M., Fletcher, T. D., Hatt, B. E. & Deletic, A. (2014c). Biofilter design for effective nitrogen removal from stormwater - Influence of plant species, inflow hydrology and use of a saturated zone. *Water Science and Technology*, 69, 1312-1319.

Payne, E. G. I., Pham, T., Hatt, B. E., Fletcher, T. D., Cook, P. L. M. & Deletic, A. (2013). Stormwater biofiltration - the challenges of inorganic and organic nitrogen removal. *8th International Conference on Water Sensitive Urban Design*. Gold Coast, Australia.

Pham, T., E.G. Payne, T.D. Fletcher, P.L. Cook, A. Deletic, B.E. Hatt (2012). The influence of vegetation in stormwater biofilters on infiltration and nitrogen removal: preliminary findings. *7th International Conference on Water Sensitive Urban Design*, 21-23 February 2012, Melbourne, Australia.

Submerged Zone

Blecken, G.-T., Y. Zinger, A. Deletic, T. D. Fletcher and M. Viklander (2009). Influence of intermittent wetting and drying conditions on heavy metal removal by stormwater biofilters. *Water Research*, 43 (18), 4590-4598.

Blecken, G.-T., Y. Zinger, A. Deletic, T. D. Fletcher and M. Viklander (2009). Impact of a submerged anoxic zone and a cellulose based carbon source on heavy metal removal in stormwater biofiltration systems. *Ecological Engineering* 35(5): 769-778.

Zinger, Y., T. D. Fletcher, A. Deletic, G. T. Blecken and M. Viklander (2007). Optimisation of the nitrogen retention capacity of stormwater biofiltration systems. *Novatech 2007, 6th International Conference on Sustainable Techniques and Strategies in Urban Water Management*, Lyon, France.

Zinger, Y., A. Deletic and T. D. Fletcher (2007). The effect of various intermittent wet-dry cycles on nitrogen removal capacity in biofilters systems. *13th International Rainwater Catchment Systems Conference and 5th International Water Sensitive Urban Design Conference*, Sydney, Australia.

Zinger, Y., Blecken, G. T., Fletcher, T. D., Viklander, M. & Deletić, A. (2013). Optimising nitrogen removal in existing stormwater biofilters: Benefits and tradeoffs of a retrofitted saturated zone. *Ecological Engineering*, 51, 75-82.

Stormwater harvesting

Chandrasena, G. I., Deletic, A., Ellerton, J. & McCarthy, D. T. 2012a. Evaluating *Escherichia coli* removal performance in stormwater biofilters: A laboratory-scale study. *Water Science and Technology*, 66, 1132-1138.

Chandrasena, G. I., Deletic, A. & McCarthy, D. T. 2013. Evaluating *Escherichia coli* removal performance in stormwater biofilters: A preliminary modelling approach. *Water Science and Technology*, 67, 2467-2475.

Chandrasena, G. I., Deletic, A. & McCarthy, D. T. 2014a. Survival of *Escherichia coli* in stormwater biofilters. *Environmental Science and Pollution Research*, 21, 5391-5401.

Chandrasena, G. I., Deletic, A. & McCarthy, D. T. in preparation-a. *Faecal indicator and reference pathogen removal in stormwater biofilters*.

Chandrasena, G. I., Filip, S., Zhang, K., Osborne, C. A., Deletic, A. & McCarthy, D. T. 2012b. Pathogen and indicator microorganism removal in field scale stormwater biofilters. *7th International Conference on Water Sensitive Urban Design*, WSUD 2012. Melbourne, VIC.

Chandrasena, G. I., Kolotelo, P., Schang, C., Henry, R., Deletic, A. & McCarthy, D. T. in preparation-b. *Campylobacter and Escherichia coli removal in two field scale biofilters used for stormwater harvesting in Melbourne, Australia.*

Chandrasena, G. I., Pham, T., Payne, E. G., Deletic, A. & McCarthy, D. T. 2014b. E. coli removal in laboratory scale stormwater biofilters: Influence of vegetation and submerged zone. *Journal of Hydrology*, 519, Part A, 814-822.

Chandrasena, G. I., Pham, T., Payne, E. G., Deletic, A. & McCarthy, D. T. 2014. E. coli removal in laboratory scale stormwater biofilters: influence of vegetation and submerged zone. *Journal of Hydrology*, 519(Part A), 814-822.

Feng, W., Hatt, B. E., McCarthy, D. T., Fletcher, T. D. & Deletic, A. 2012. Biofilters for stormwater harvesting: Understanding the treatment performance of key metals that pose a risk for water use. *Environmental Science and Technology*, 46, 5100-5108.

Li, Y. L., Deletic, A., Alcazar, L., Bratieres, K., Fletcher, T. D. & McCarthy, D. T. 2012. Removal of Clostridium perfringens, Escherichia coli and F-RNA coliphages by stormwater biofilters. *Ecological Engineering*, 49, 137-145.

Li, Y. L., Deletic, A., Henry, R., Schang, C. & McCarthy, D. T. in preparation. *Pollutant removal from urban stormwater by copper-zeolite integrated biofilters.*

Li, Y. L., Deletic, A. & McCarthy, D. T. 2014a. Removal of E. coli from urban stormwater using antimicrobial-modified filter media. *Journal of Hazardous Materials*, 271, 73-81.

Li, Y. L., McCarthy, D. & Deletic, A. submitted. The removal of E. coli from urban stormwater by biofilters using copper-treated media. *Water Research*.

Li, Y. L., McCarthy, D. T. & Deletic, A. 2014b. Stable copper-zeolite filter media for bacteria removal in stormwater. *Journal of Hazardous Materials*, 273, 222-230.

Micropollutants

Zhang, K., Randelovic, A., Page, D., McCarthy, D. T. & Deletic, A. 2014. The validation of stormwater biofilters for micropollutant removal using in situ challenge tests. *Ecological Engineering*, 67, 1-10.

Zhang, K. F., Filip, S., Chandrasena, G. I., McCarthy, D. T., Daly, E., Pham, T., Kolotelo, P. & Deletic, A. 2012. Micro-pollutant removal in stormwater biofilters: a preliminary understanding from 3 challenge tests. *7th International Conference on Water Sensitive Urban Design*. Melbourne.

Hydraulic Performance

Le Coustumer, S., T. D. Fletcher, A. Deletic, S. Barraud and J.F. Lewis (2009). Hydraulic performance of biofilter systems for stormwater management: influences of design and operation. *Journal of Hydrology*, 376 (1-2), 16-23.

Le Coustumer, S., T. D. Fletcher, A. Deletic and M. Potter (2008). *Hydraulic performance of biofilter systems for stormwater management: lessons from a field study, Facility for Advancing Water Biofiltration and Melbourne Water Corporation (Healthy Bays and Waterways).*

Le Coustumer, S. and S. Barraud (2007). Long-term hydraulic and pollution retention performance of infiltration systems. *Water Science and Technology* 55(4): 235-243.

Le Coustumer, S., T. D. Fletcher, A. Deletic and S. Barraud (2007). Hydraulic performance of biofilters: first lessons from both laboratory and field studies. *Novatech 2007. 6th International Conference on Sustainable Techniques and Strategies in Urban Water Management*, Lyon, France.

Le Coustumer, S., T. D. Fletcher, A. Deletic and S. Barraud (2007). Hydraulic performance of biofilters for stormwater management: first lessons from both laboratory and field studies. *Water Science and Technology* 56(10): 93-100.

Field Studies

Hamel, P., Fletcher, T. D., Walsh, C., Beringer, J. & Plessis, E. (in press). Water balance of infiltration systems in relation to their operating environment. *Water Science and Technology*.

Hatt, B. E., T. D. Fletcher and A. Deletic (2009). Hydrologic and pollutant removal performance of stormwater biofiltration systems at the field scale. *Journal of Hydrology* 365(3-4): 310-321.

Hatt, B. E., T. D. Fletcher and A. Deletic (2009). Pollutant removal performance of field-scale biofiltration systems. *Water Science & Technology* 59(8): 1567-1576.

Hatt, B. E., T. D. Fletcher and A. Deletic (2008). Improving stormwater quality through biofiltration: Lessons from field studies. *11th International Conference on Urban Drainage*. Edinburgh, UK.

Hatt, B. E., J. Lewis, A. Deletic and T. D. Fletcher (2007). Insights from the design, construction and operation of an experimental stormwater biofiltration system. *13th International Rainwater Catchment Systems Conference and 5th International Water Sensitive Urban Design Conference*, Sydney, Australia.

Lewis, J. F., B. E. Hatt, S. Le Coustumer, A. Deletic and T. D. Fletcher (2008). The impact of vegetation on the hydraulic conductivity of stormwater biofiltration systems. *11th International Conference on Urban Drainage*. Edinburgh, UK.


Smith, N., R. Allen, A. McKenzie-McHarg, A. Deletic, T. D. Fletcher and B. Hatt (2007). Retrofitting functioning stormwater gardens into existing urban landscapes. *Cairns International Public Works Conference*, Cairns.

Zinger, Y., A. Deletic (2012). *Kfar-Sava Biofilter: The first milestone towards creating water sensitive cities in Israel*. Monash Water for Liveability, Monash University, Jewish National Fund of Australia Inc., CRC for Water Sensitive Cities, December 2012.

Other

Blecken, G.-T., Y. Zinger, T. M. Muthanna, A. Deletic, T. D. Fletcher and M. Viklander (2007). The influence of temperature on nutrient treatment efficiency in stormwater biofilter systems. *Water Science and Technology* 56(10): 83-91.

Deletic, A. and G. Mudd (2006). *Preliminary results from a laboratory study on the performance of bioretention systems built in Western Sydney saline soils*, Facility for Advancing Water Biofiltration.



SECTION D-D
SCALE 1:20 (A3)